

CERTIFICATE OF COMPLIANCE

Certificate Number 20180828-S35835
Report Reference S35835-20171030
Issue Date 2018-AUGUST-28

Issued to: MAPLE ARMOR FIRE ALARM DEVICE CO LTD
8866 Blvd Du Quartier
Brossard
QC J4Y 0R2 CANADA

This is to certify that representative samples of SMOKE DETECTORS FOR FIRE ALARM SYSTEMS.
Intelligent addressable, photoelectric smoke detector head, Model FW511.


Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/UL 268, Smoke Detectors for Fire Alarm Systems.
ULC-S529, Smoke Detectors For Fire alarm Systems.

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20180828-S35835
Report Reference S35835-20171030
Issue Date 2018-AUGUST-28

Issued to: MAPLE ARMOR FIRE ALARM DEVICE CO LTD
8866 Blvd Du Quartier
Brossard
QC J4Y 0R2 CANADA


This is to certify that representative samples of SMOKE DETECTORS FOR FIRE ALARM SYSTEMS
Intelligent addressable, photoelectric smoke detector head,
Model FW511.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/UL 268, Smoke Detectors for Fire Alarm Systems.
ULC-S529, Smoke Detectors For Fire alarm Systems.


Additional Information: See the ULC Online Certification Directory at www.ulc.ca
for additional information

Only those products bearing the ULC Listing Mark should be considered as being covered by ULC's
Listing and Follow-Up Service.

The ULC Listing Mark generally includes the following elements: the symbol ULC in a circle:  with
the word "LISTED"; a control number (may be alphanumeric) assigned by ULC; and the product
category name (product identifier) as indicated in the appropriate ULC Directory.

To confirm the status, validate the above information via the online directory.

Look for the ULC Listing Mark on the product.



Joseph Hosey, General Manager, Director of Sales - Canada

UNDERWRITERS LABORATORIES OF CANADA INC.

Any information and documentation involving ULC Mark services are provided on behalf of Underwriters Laboratories of Canada Inc. (ULC) or any authorized
licensee of ULC. For questions, please contact a local ULC Customer Service Representative at <http://ul.com/aboutul/locations/>

